

SECTION 01350

CARPET RECLAMATION
5/98

PART 1 GENERAL

1.1 REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to in the text by basic designation only.

Carpet and Rug Institute (CRI)Org

CRI 104 (1994) Commercial Carpet Installation
Standard

1.2 SUBMITTALS

Government approval is required for submittals with a "GA" designation; submittals having an "FIO" designation are for information only. The following shall be submitted in accordance with Section 01330 SUBMITTAL PROCEDURES:

SD-07 Schedules;

Work Sequence; [FIO].

A presentation of carpet reclamation activities indicating a detailed sequence of removal work and inventory of items to be removed and recycled

SD-08 Statements

Carpet Reclamation Agency or Company; FIO.

Proposed dust-control measures; FIO.

Proposed packing and transportation measures; FIO.

SD-13 Certificates

Certificate of Recycling; [FIO].

Carpet and Accessories Reclamation Agency and Carpet Remover shall certify in writing that used carpet was removed and recycled in accordance with a Carpet Reclamation Program..

SD-18 Records

Records of Disposition; [FIO].

Carpet and Accessories Reclamation agency records indicating receipt and disposition of carpet including the Time and Date of Removal; Type of Material; Weight and Quantity of Materials disposed of.

PART 2 PRODUCTS (NOT USED)

PART 3 EXECUTION

3.1 Carpet Removal

- A. Vacuum used carpet before removal.
- B. Remove used broadloom carpets in large pieces, roll tightly and pack neatly in container. (include carpet scrap and waste from new installation.)
- C. Deposit only clean, dry used carpets in containers. Clean shall be defined as carpet free from demolition debris or asbestos contamination, garbage, and tack strips.
- D. Remove adhesive according to recommendations of the Carpet and Rug Institute (CRI)
- E. For further information on carpet removal see SECTION 02050 DEMOLITION.

3.2 Disposal

3.2.1 Container Disposal

- A. Place used carpet in 40-yd' container supplied by reclamation agency. Containers are fully enclosed front (end) loading. Place only used commercial carpeting in collection container. Container shall be kept locked or supervised.
- B. Use effective packing techniques to maximize the amount of material in the container. On average each container holds 2000 to 3000 square yards.
- C. Neatly stack carpet tiles or repack in cardboard boxes prior to placing in container.
- D. When container is full, contact reclamation agency to coordinate pickup and drop-off of replacement container. If container is locked for security purposes, remove the lock prior to pickup.

3.2.2 Truck Trailer Disposal

- A. Place used carpet in 53-foot trailer supplied by Reclamation Agency. The same packing techniques should be followed for packing a container.
- B. Comply with Department of Transportation regulations for weight limits. Typical maximum weight of used carpet on the trailer is 45000 lbs.
- C. If packing carpet tiles, do not stack higher than 6 feet.

3.3 Installation

For carpet installation instructions see SECTION 09680 CARPET.

-- End of Section --